

Serial No. 09/779,278

Page 2 of 13

IN THE CLAIMS

1. (currently amended) A golf data management system comprising:

a portable communication terminal that is a portable telephone having a golf data management program stored therein; and

a data center that transmits data to and receives data from the portable communication terminal via a communication network,

wherein the portable communication terminal comprises:

a recording unit that records play data including a score and measurement data obtained by measuring a position of a shot or a putt by a measuring unit;

a transmission unit that adds an individual identification number of a player who carries the portable communication terminal to the play data recorded by the recording unit, and transmits the play data to the data center via the communication network after holing out of each hole; and

a display unit that stores the data transmitted from the data center via the communication network, and displays the stored data, and

the data center comprises:

an individual data storage unit that stores and manages practice result data and the play data corresponding to the individual identification number in accordance with each golf course and each play date;

a common data storage unit that stores course map data of a plurality of golf courses; and

an output unit that outputs the play data stored in the individual data storage unit in response to a request from the portable communication terminal,

84150631_1

Serial No. 09/779,278

Page 3 of 13

wherein said portable communication terminal is carried by each player and is connectable to an input device separate from said portable communication terminal via a signal line, infrared signal or radio-frequency signal, and is configured to receive at least a portion of the play data from the input device, the input device having input buttons including a shot button, a putt button, and a penalty button.

2. (original) The golf data management system as claimed in claim 1, wherein the data center further comprises a first output unit that receives an advice request including the measurement data obtained by the measurement unit from the portable communication terminal and the individual identification number of the player added to the measurement data, and produces and transmits individual advice for the player, based on the data accompanied by the individual identification number stored in the individual data storage unit, the course map data stored in the common data storage unit, and a current location on a course map according to the measurement data.

3. (original) The golf data management system as claimed in claim 2, wherein the data center further comprises a second output unit that judges the performance of the player by comparing a ratio of the number of failed shots to the total number of shots based on the play data stored in the individual data storage unit, and produces and outputs, in response to the advice request, individual advice for the player based on play data and practice data stored in the individual data storage unit in accordance with a judgment result of the performance.

84150631_1

4. (currently amended) The golf data management system as claimed in claim 1,

wherein

the portable communication terminal comprises:

a recording part that records measurement data obtained by the measurement unit when an input button on the input device is pressed at a location of a shot or a putt; and

a communication part that adds an uploading header to the play data recorded by the recording part when a holed-out button on the input device is pressed at a time of sinking a ball in cup, and transmits the play data with the uploading header to the data center via the communication network, and

the data center stores the play data and practice data obtained during a practice in the individual data storage unit in accordance with the uploading header.

5. (original) The golf data management system as claimed in claim 1, wherein

the data center comprises a group data storage unit that manages data on performance of a sub-group in which each member carries the portable communication terminal, and

a distribution processing unit that distributes the play data from the individual storage unit to each portable communication terminal of the sub-group when it is determined that all members of the sub-group have holed out.

6. (currently amended) The golf data management system as claimed in claim 5, further comprising a unit that registers the sub-group in the group data storage unit based on the measurement data of a specific player's location obtained when a shot button is pressed by each member[[s]] of the subgroup prior to making a tee shot.

84150631_1

7. - 8. (canceled)

9. (currently amended) A method of managing golf data of one or more individual players, which golf data is transmitted between a portable communication terminal carried by each of said one or more individual players and a data center via a communication network, wherein the portable communication terminal is a portable telephone having a golf data management program stored therein, said method comprising the steps of:

storing course map data of a plurality of golf courses in a common data storage unit;

transmitting play data or practice data to the portable communication terminal from an input device separate from said portable communication terminal wherein said input device having input buttons including a shot button, a putt button, and a penalty button is coupled connectable to the portable communication terminal via a signal line, infrared signal or radio-frequency signal;

receiving the play data including measurement data and a score provided with an individual identification number supplied from the portable communication terminal, or the practice data provided with the individual identification number;

storing and managing the received data in an area corresponding to the individual identification number in ~~[[the]]~~ an individual data storage unit;

reading out the course map data from the common data storage unit or the play data corresponding to the individual identification number from the individual data storage unit, in response to a course map data request or a play data request provided with the individual identification number supplied from the portable communication terminal; and

84150631_1

Serial No. 09/779,278

Page 6 of 13

transmitting the read-out course map data or the play data to the portable communication terminal.

10. (original) The method as claimed in claim 9, further comprising the steps of:

determining a current location on the course map according to the measurement data, in response to an advice request provided with the individual identification number and the measurement data supplied from the portable communication terminal;

producing advice data on choice of a golf club or a shot at the current location based on the play data and the practice data corresponding to the individual identification number stored in the individual data storage unit; and

transmitting the advice data to the portable communication terminal that has issued the advice request.

11. (original) The method as claimed in claim 10, further comprising the steps of:

determining the current location on the course map according to the measurement data in response to an advice request provided with the individual identification number and the measurement data supplied from the portable communication terminal;

analyzing the play data and the practice data corresponding to the individual identification number stored and managed by the individual data storage unit;

producing the advice data on the choice of golf clubs and shots based on performance data obtained from a failed shot ratio, shot distance data of each golf club, and target distance data; and

84150631_1

Serial No. 09/779,278

Page 7 of 13

transmitting the advice data to the portable communication terminal that has issued the advice request.

12. (original) The method as claimed in claim 10, further comprising the steps of:
storing and managing the individual identification number and data on performance of each of players that constitute a sub-group or a group made up of a plurality of sub-groups in a group data storage unit;

reading out the play data of each member in the sub-group from the individual data storage unit when it is determined that all members in the sub-group have holed out; and
distributing the read-out play data to each of the members in the sub-group.

13. (original) The method as claimed in claim 10, further comprising the steps of:
transmitting the course map data of the plurality of golf courses from the common storage unit in response to a request from the portable communication terminal; and

charging the portable communication terminal with a fixed amount of money or a service charge corresponding to the amount of provided data when the data stored in the individual data storage unit and advice data on the play are transmitted in response to a request from the portable communication terminal.

14. (original) The method as claimed in claim 13, further comprising the steps of:
lending the terminal portable communication terminal to a player;
registering the player in the data center using the portable communication terminal;
transmitting the play data from the portable communication terminal to the data center;

84150631_1

Serial No. 09/779,278

Page 8 of 13

storing and managing the play data in the individual data storage unit;

transmitting course map data or advice data in response to a service request supplied from the portable communication terminal; and

charging the player with a service charge for the service rendered in response to the service request.

15. (new) The golf data management system as claimed in claim 1, wherein the data center is configured to receive recording data provided with individual data of hole-outs at a same location within a predetermined period of time, to determine that the recording data is data of one or more accompanying players, and to set group data for a group based on the individual data, and scores of all members of the group are transmitted to the portable communication terminal of each of the members based on the individual identification number of each of the members.

84150631_1